

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 05-345885

(43)Date of publication of application : 27.12.1993

(51)Int.Cl.

C09J153/02
// C08F297/04

(21)Application number : 04-180433

(71)Applicant : KURARAY CO LTD

(22)Date of filing : 15.06.1992

(72)Inventor : NISHIKAWA AKIRA
OGURA TOSHIKO
ISHII MASAO

(54) TACKY AGENT AND ADHESIVE COMPOSITION

(57)Abstract:

PURPOSE: To obtain a tacky agent and adhesive composition having excellent thermal stability.

CONSTITUTION: A thermoplastic elastomer which comprises at least two polymer blocks consisting essentially of a vinyl aromatic compound and at least one polymer block of a mixed system of butadiene and isoprene, having 10-90wt.% isoprene content and has 5-50wt.% content of blocks consisting essentially of the vinyl aromatic compound is used as an essential component for a tacky agent and adhesive composition.

LEGAL STATUS

[Date of request for examination] 23.03.1999

[Date of sending the examiner's decision of rejection] 03.09.2002

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number] 3657279

[Date of registration] 18.03.2005

[Number of appeal against examiner's decision of rejection] 2002-19073

[Date of requesting appeal against examiner's decision of rejection] 02.10.2002

BEST AVAILABLE COPY

[Date of extinction of right]

BEST AVAILABLE COPY

Patent & Utility Model Gazette DB



Kind code & Document Number

(If you would like to know the form below to your search criteria, please click on [HELP](#).)

Kind code	A: (Published patent application, Japanese translation of PCT international application), U: (Published utility model application)		B: (Examined patent application publication), U: (Japanese translation of PCT international application (utility model)), U1: (Unexamined utility model specification), Y: (Examined utility model application publication)		A1: (Domestic re-publication of PCT international application)	N1: (Journal of technical disclosure)	B: (Patent), C: (Patent specification), H: (Corrected patent specification), I: (Corrected utility model specification), U: (Registered utility model), Y: (Examined utility model registration), Z: (Examined utility model specification)	
Number (e.g.)	H09-123456	H12-123456 or 2000-123456	S46-123456		005-123456 or 2005-123456	098-12345	2500001	

Kind code		Number		Kind code		Number		Kind code		Number	
1. a		H05-345885		2.		3.		4.			
5.				6.		7.		8.			
9.				10.		11.		12.			

Display Type ☒ All Pages

BEST AVAILABLE COPY